



Highlights

- Plug-n-use Minimizes Downtime
- Hot-swappable HDD Design
- HDD Hibernation
- Managed from Synology DiskStation Manager 2.3

Synology RX410

4-Bay Expansion Unit for Increasing Capacity of the Synology RackStation

Synology RX410 delivers an effortless solution for volume expansion and data backup for Synology RackStation RS810+/RS810RP+. The RX410 seamlessly scales up the storage capacity of the Synology RS810+/RS810RP+ by an additional 4 hard drives on-the-fly when connected directly to the Synology RS810+/RS810RP+.

Volume Expansion & Backup

When running out of the hard drive capacity on the Synology RS810+/RS810RP+, the Synology RX410 provides an easy way to immediately scale capacity by an additional 4 hard drives. The RAID volume on the Synology RS810+/RS810RP+ can be expanded directly without having to reformat the existing hard drives, ensuring the Synology RS810+/RS810RP+ continues its service during the capacity expansion. When created as a separate volume, the Synology RX410 provides an easy solution for backing up the Synology RS810+/RS810RP+.

Reliable Plug-n-use Design


The Synology RX410 is connected to the Synology RS810+/RS810RP+ using an eSATA cable with customdesigned, secure connectors on both ends, ensuring a reliable connection and maximum throughput. eSATA, with speeds of 3.0 Gb/sec, allows the hard drives in the connected Synology RX410 to operate as they are the internal ones of the Synology RS810+/RS810RP+, with no lag in data retrieval.

Green & Easy to Manage

HDD hibernation can be configured to take effect automatically when the system has been inactive for a specified period of time. This not only saves energy but also extends the lifespan of the hard disks.

Synology RX410 is managed with Synology DiskStation Manager 2.3, no additional firmware installation is needed.

Networking



SYNOLOGY INC.

Founded in 2000, Synology is a young and energetic company dedicated to developing high-performance, reliable, versatile, and environmentally-friendly Network Attached Storage (NAS) products. Source and the second structure stru

Copyright © 2010, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names entitioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice Printed in Taiwan RX410-2010-ENU-REV001

http://www.synology.com

Headquarters

Synology Inc. 3F-3, No. 106, Chang An W. Rd., Taipei, Taiwan Tel: +886 2 2552 1814 Fax: +886 2 2552 1824

North & South America

Synology America Corp. 2899 152nd Ave NE, Redmond, WA 98052. USA Tel: +1 425 818 1587

UK

Synology UK Ltd. Davy Avenue, Knowlhill, Milton Keynes, Bucks, MK5 8PB. UK Tel: +44 01908 673 709

Technical Specifications

- Hardware
 Internal HDD: 4X 3.5" SATA or 4X 2.5" SATA
- Hot-swappable HDD: Yes External HDD Interface: 1X eSATA

- External HDD Interface: 1X eSATA
 Size 44mm X 430.5mm X 457.5mm
 Weight: 7.10kg
 Fan: 3X (40mmx40mm)
 Noise Leve: 328(A) (5200rpm)
 Power Recovery: Synchronized with the Synology
 RacKStation
 Ac Input Power Voltage: 100V to 240V
 Power Frequency: 50Hz to 60Hz, Single Phase
 Operating temperature: 5°C to 35°C (40°F to 95°F)
 Storage temperature: 5°C to 37°C (45°F to 155°F)
 Relative Humidity: 5% to 95% RH
- Max Operating Altitude: 10,000 feet
- Power Consumption 48 Watts (Access), 15 Watts(HDD Hibernation)¹
- RAID Management
- AID Management Volume Type: Basic, JBOO, RAID 0, RAID 1, RAID 10, RAID 5, RAID 5+Spare, RAID 6 RAID Migration: from Basic to RAID 1, Basic to RAID 5, Basic to RAID 5+Spare, RAID 1 to RAID 5, RAID 1 to RAID 6 RAID 5+Spare, RAID 5 to RAID 5+Spare, RAID 5 to RAID 6
- to RAID 6 Expand RAID 1, RAID 5, RAID 5+Spare or RAID 6 with Larger Hard Drives
 Managed with the Synology DSM 2.3

EnvironmentRoHS Compliant

- Package Content
- RX410 Main Unit User's Guide
- Assembling Kit
- AC Power Cord 2X eSATA Cable
- Warranty
- 5 year
- 1. Measured with 4 Seagate 750GB ST3750640NS hard drives The figures could vary on different environments.

CONNECTIONS & BUTTONS

